

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 2 | "20050114610" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/28 11:17 |
| S2 | 1231 | 713/189.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:01 |
| S3 | 212 | S2 and (encrypt\$3 or encod\$3 or scrumb1\$3 or ciper or format\$3)near3(processor or microprocessor or (digital with signal with processor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:05 |
| S4 | 71 | S3 and ((private with data) or (private with state with data) or (implementation with specific with data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:07 |
| S5 | 57 | S3 and encrypt\$3 with((private with data) or (private with state with data) or (implementation with specific with data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:22 |
| S6 | 894 | "711"/\$.ccls. and (encrypt\$3 or encod\$3 or ciper or format\$3)near3(processor or microprocessor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:25 |
| S7 | 94 | S6 and ((private with state with data) or (private with data) or (implementation with specific with data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:27 |
| S8 | 3 | S7 and recover\$3 with private with data | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 22:28 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S9 | 3 | (obtain\$3 or gain\$3 or posses\$3)with metadata near (encrypt\$3 or unencrypt or ciper or unciper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 10:46 |
| S10 | 23 | (obtain\$3 or gain\$3 or posses\$3)with metadata near5 (encrypt\$3 or unencrypt or ciper or unciper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:11 |
| S11 | 69 | (obtain\$3 or gain\$3 or posses\$3)with metadata same (encrypt\$3 or unencrypt or ciper or unciper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 10:46 |
| S12 | 585 | (obtain\$3 or gain\$3 or posses\$3)with metadata and (encrypt\$3 or unencrypt or ciper or unciper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 10:47 |
| S13 | 16 | S11 and "713"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 10:47 |
| S14 | 10 | S11 and "380"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 10:49 |
| S15 | 5 | S10 and "380"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 10:47 |
| S16 | 23 | (obtain\$3 or gain\$3 or posses\$3)with metadata near5 (encrypt\$3 or unencrypt or ciper or unciper)with metadata | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:11 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S17 | 1832 | 713/193.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:11 |
| S18 | 8 | S17 and obtain\$3 with metadata | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:36 |
| S19 | 6 | provid\$3 with encrypt\$3 with digital with content near\$3 client with device | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:37 |
| S22 | 3377 | (obtain\$3 or gain\$3 or poss\$4)and((unencrypt\$3 or enciper or unformat\$3 and encrypt\$3 or ciper or format\$3) with metadata) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:49 |
| S23 | 49 | (obtain\$3 or gain\$3 or poss\$4)near5((unencrypt\$3 or enciper or unformat\$3 and encrypt\$3 or ciper or format\$3) with metadata) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:49 |
| S24 | 15 | (obtain\$3 or gain\$3 or poss\$4)near3((unencrypt\$3 or enciper or unformat\$3 and encrypt\$3 or ciper or format\$3) with metadata) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 11:50 |
| S25 | 912 | read\$3 near (private or secret\$3 or protect\$3)with data | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:35 |
| S26 | 448 | S25 and software | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:35 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S27 | 432 | S26 and (storage or memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:36 |
| S28 | 103 | S27 and "713"/\$.cls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:36 |
| S29 | 100 | S27 and "711"/\$.cls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:36 |
| S30 | 9 | S28 and instruction near processor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:37 |
| S31 | 15 | S29 and instruction near processor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/27 16:41 |
| S32 | 566 | instruct\$3 with set near (decod\$3 or read)with (data or information or message) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/28 11:19 |
| S33 | 111 | S32 and (encrypt\$3 or encod\$3)with data | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/28 11:19 |
| S34 | 85 | S33 and processor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/28 11:19 |

EAST Search History

| | | | | | | |
|-----|----|-----------------------|---|----|----|------------------|
| S36 | 15 | S34 and "711"/\$.cls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/28 11:37 |
| S37 | 2 | "5091846".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/28 11:37 |